

University of Groningen

Aspects of the Microglia Transcriptome

Dubbelaar, Marissa

DOI:
[10.33612/diss.134443852](https://doi.org/10.33612/diss.134443852)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):
Dubbelaar, M. (2020). *Aspects of the Microglia Transcriptome: Microglia in complex RNA-Seq output gives laborious integrative analyses*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen. <https://doi.org/10.33612/diss.134443852>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

CHAPTER 8

References

- Adams, M. D. et al. (1991) 'Complementary DNA sequencing: expressed sequence tags and human genome project', *Science*, 252(5013), pp. 1651–1656. doi: 10.1126/science.2047873.
- Ajami, B. et al. (2011) 'Infiltrating monocytes trigger EAE progression, but do not contribute to the resident microglia pool.', *Nature neuroscience*, 14(9), pp. 1142–9. doi: 10.1038/nn.2887.
- Allan, J. et al. (1981) 'Regulation of the higher-order structure of chromatin by histones H1 and H5.', *The Journal of Cell Biology*, 90(2), pp. 279–288. doi: 10.1083/jcb.90.2.279.
- Altschul, S. F. et al. (1990) 'Basic local alignment search tool', *Journal of Molecular Biology*, 215(3), pp. 403–410. doi: 10.1016/S0022-2836(05)80360-2.
- Andrews, S. (2015) 'FastQC'. Available at: <http://www.bioinformatics.babraham.ac.uk/projects/fastqc/>.
- Angermueller, C. et al. (2016) 'Deep learning for computational biology', *Molecular Systems Biology*, 12(7), p. 878. doi: 10.15252/msb.20156651.
- Athar, A. et al. (2019) 'ArrayExpress update – from bulk to single-cell expression data', *Nucleic Acids Research*, 47(D1), pp. D711–D715. doi: 10.1093/nar/gky964.
- Banerji, J., Rusconi, S. and Schaffner, W. (1981) 'Expression of a β -globin gene is enhanced by remote SV40 DNA sequences', *Cell*, 27(2), pp. 299–308. doi: 10.1016/0092-8674(81)90413-X.
- Adey, A. et al. (2010) 'Rapid, low-input, low-bias construction of shotgun fragment libraries by high-density in vitro transposition', *Genome Biology*, 11(12), p. R119. doi: 10.1186/gb-2010-11-12-r119.
- Allahverdi, A. et al. (2011) 'The effects of histone H4 tail acetylations on cation-induced chromatin folding and self-association', *Nucleic Acids Research*, 39(5), pp. 1680–1691. doi: 10.1093/nar/gkq900.
- Alliot, F., Godin, I. and Pessac, B. (1999) 'Microglia derive from progenitors, originating from the yolk sac, and which proliferate in the brain', *Developmental Brain Research*, 117(2), pp. 145–152. doi: 10.1016/S0165-3806(99)00113-3.
- Anders, S., Pyl, P. T. and Huber, W. (2015) 'HTSeq—a Python framework to work with high-throughput sequencing data', *Bioinformatics*, 31(2), pp. 166–169. doi: 10.1093/bioinformatics/btu638.
- Angerer, P. et al. (2017) 'Single cells make big data: New challenges and opportunities in transcriptomics', *Current Opinion in Systems Biology*, 4, pp. 85–91. doi: 10.1016/j.coisb.2017.07.004.
- Askew, K. et al. (2017) 'Coupled Proliferation and Apoptosis Maintain the Rapid Turnover of Microglia in the Adult Brain.', *Cell reports*, 18(2), pp. 391–405. doi: 10.1016/j.celrep.2016.12.041.
- Atlassian (2020) Bitbucket. Available at: <https://bitbucket.org/> (Accessed: 28 May 2020).
- Bannister, A. J. and Kouzarides, T. (2011) 'Regulation of chromatin by histone modifications', *Cell Research*, 21(3), pp. 381–395. doi: 10.1038/cr.2011.22.

- Barres Lab (no date) Brain RNA-Seq.
- Barski, A. et al. (2007) 'High-Resolution Profiling of Histone Methylations in the Human Genome', *Cell*, 129(4), pp. 823–837. doi: 10.1016/j.cell.2007.05.009.
- Belton, J.-M. et al. (2012) 'Hi-C: A comprehensive technique to capture the conformation of genomes', *Methods*, 58(3), pp. 268–276. doi: 10.1016/j.ymeth.2012.05.001.
- Bernstein, P., Peltz, S. W. and Ross, J. (1989) 'The poly(A)-poly(A)-binding protein complex is a major determinant of mRNA stability in vitro', *Molecular and Cellular Biology*, 9(2), pp. 659–670. doi: 10.1128/MCB.9.2.659.
- Beynon, S. B. and Walker, F. R. (2012) 'Microglial activation in the injured and healthy brain: What are we really talking about? Practical and theoretical issues associated with the measurement of changes in microglial morphology', *Neuroscience*, 225, pp. 162–171. doi: 10.1016/j.neuroscience.2012.07.029.
- Bilofsky, H. S. et al. (1986) 'The GenBank genetic sequence databank', *Nucleic Acids Research*, 14(1), pp. 1–4. doi: 10.1093/nar/14.1.1.
- Birdsill, A. C. et al. (2011) 'Postmortem interval effect on RNA and gene expression in human brain tissue', *Cell and tissue banking*, 12(4), pp. 311–8. doi: 10.1007/s10561-010-9210-8.
- Bostock, M., Ogievetsky, V. and Heer, J. (2011) 'D3: Data-Driven Documents'. Available at: <https://github.com/d3/d3>.
- Barrett, T. et al. (2012) 'NCBI GEO: archive for functional genomics data sets—update', *Nucleic Acids Research*, 41(D1), pp. D991–D995. doi: 10.1093/nar/gks1193.
- Batut, B. et al. (2018) 'Community-Driven Data Analysis Training for Biology', *Cell Systems*, 6(6), pp. 752–758.e1. doi: 10.1016/j.cels.2018.05.012.
- Bennett, M. L. et al. (2016) 'New tools for studying microglia in the mouse and human CNS', *Proceedings of the National Academy of Sciences*, 113(12), pp. E1738–E1746. doi: 10.1073/pnas.1525528113.
- Beyan, O. et al. (2020) 'Distributed Analytics on Sensitive Medical Data: The Personal Health Train', *Data Intelligence*, 2(1–2), pp. 96–107. doi: 10.1162/dint_a_00032.
- De Biase, L. M. et al. (2017) 'Local Cues Establish and Maintain Region-Specific Phenotypes of Basal Ganglia Microglia', *Neuron*, 95(2), pp. 341–356.e6. doi: 10.1016/j.neuron.2017.06.020.
- Bioo scientific (2014) MOLECULAR INDEXINGTM ANALYSIS. Available at: [http://www.biooscientific.com/Portals/0/White Papers/qRNA-Analysis-2.pdf](http://www.biooscientific.com/Portals/0/White%20Papers/qRNA-Analysis-2.pdf) (Accessed: 11 October 2019).
- Block, M. L., Zecca, L. and Hong, J.-S. (2007) 'Microglia-mediated neurotoxicity: uncovering the molecular mechanisms', *Nature Reviews Neuroscience*, 8(1), pp. 57–69. doi: 10.1038/nrn2038.
- Bowman, G. D. and Poirier, M. G. (2015) 'Post-Translational Modifications of Histones That Influence Nucleosome Dynamics', *Chemical Reviews*, 115(6), pp. 2274–2295. doi: 10.1021/cr500350x.

- Bray, N. L. et al. (2016) 'Near-optimal probabilistic RNA-seq quantification', *Nature Biotechnology*. doi: 10.1038/nbt.3519.
- Bruttger, J. et al. (2015) 'Genetic Cell Ablation Reveals Clusters of Local Self-Renewing Microglia in the Mammalian Central Nervous System', *Immunity*, 43(1), pp. 92–107. doi: 10.1016/j.immuni.2015.06.012.
- Buenrostro, J. D. et al. (2015) 'ATAC-seq: A Method for Assaying Chromatin Accessibility Genome Wide', *Current Protocols in Molecular Biology*, 109(1). doi: 10.1002/0471142727.mb2129s109.
- Bushnell, B. (no date) BBMap. Available at: <https://sourceforge.net/projects/bbmap/> (Accessed: 18 November 2019).
- Butovsky, O. et al. (2015) 'Targeting miR-155 restores abnormal microglia and attenuates disease in SOD1 mice', *Annals of Neurology*, 77(1), pp. 75–99. doi: 10.1002/ana.24304.
- Buttgereit, A. et al. (2016) 'Sall1 is a transcriptional regulator defining microglia identity and function', *Nature Immunology*, 17(12), pp. 1397–1406. doi: 10.1038/ni.3585.
- Casamassimi, A. et al. (2017) 'Transcriptome Profiling in Human Diseases: New Advances and Perspectives', *International Journal of Molecular Sciences*, 18(8), p. 1652. doi: 10.3390/ijms18081652.
- Chargaff, E. (1950) 'Chemical specificity of nucleic acids and mechanism of their enzymatic degradation.', *Experientia*, 6(6), pp. 201–9. doi: 10.1007/bf02173653.
- Broadinstitute (2016) 'Picard'. Available at: <http://broadinstitute.github.io/picard/>.
- Buenrostro, J. D. et al. (2013) 'Transposition of native chromatin for fast and sensitive epigenomic profiling of open chromatin, DNA-binding proteins and nucleosome position', *Nature Methods*, 10(12), pp. 1213–1218. doi: 10.1038/nmeth.2688.
- Buratowski, S. et al. (1989) 'Five intermediate complexes in transcription initiation by RNA polymerase II', *Cell*, 56(4), pp. 549–561. doi: 10.1016/0092-8674(89)90578-3.
- Butovsky, O. et al. (2014) 'Identification of a unique TGF- β -dependent molecular and functional signature in microglia', *Nature Neuroscience*, 17(1), pp. 131–143. doi: 10.1038/nn.3599.
- Butovsky, O. and Weiner, H. L. (2018) 'Microglial signatures and their role in health and disease', *Nature Reviews Neuroscience*, 19(10), pp. 622–635. doi: 10.1038/s41583-018-0057-5.
- Carter, D. et al. (2002) 'Long-range chromatin regulatory interactions in vivo', *Nature Genetics*, 32(4), pp. 623–626. doi: 10.1038/ng1051.
- Catts, V. S. et al. (2005) 'A microarray study of post-mortem mRNA degradation in mouse brain tissue.', *Brain research. Molecular brain research*, 138(2), pp. 164–77. doi: 10.1016/j.molbrainres.2005.04.017.
- Cherry, J. D., Olschowka, J. A. and O'Banion, M. (2014) 'Neuroinflammation and M2 microglia: the good, the bad, and the inflamed', *Journal of Neuroinflammation*, 11(1), p. 98. doi: 10.1186/1742-2094-11-98.

- Chiu, I. M. et al. (2013) 'A Neurodegeneration-Specific Gene-Expression Signature of Acutely Isolated Microglia from an Amyotrophic Lateral Sclerosis Mouse Model', *Cell Reports*, 4(2), pp. 385–401. doi: 10.1016/j.celrep.2013.06.018.
- Clemente, D. et al. (2013) 'The effect of glia-glia interactions on oligodendrocyte precursor cell biology during development and in demyelinating diseases', *Frontiers in Cellular Neuroscience*, 7. doi: 10.3389/fncel.2013.00268.
- Collier, T. J., Kanaan, N. M. and Kordower, J. H. (2017) 'Aging and Parkinson's disease: Different sides of the same coin?', *Movement Disorders*, pp. 983–990. doi: 10.1002/mds.27037.
- Colton, C. A. (2009) 'Heterogeneity of microglial activation in the innate immune response in the brain.', *Journal of neuroimmune pharmacology: the official journal of the Society on NeuroImmune Pharmacology*, 4(4), pp. 399–418. doi: 10.1007/s11481-009-9164-4.
- Conesa, A. and Beck, S. (2019) 'Making multi-omics data accessible to researchers', *Scientific Data*, 6(1), p. 251. doi: 10.1038/s41597-019-0258-4.
- Cummings, T. J. et al. (2001) 'Recovery and expression of messenger RNA from postmortem human brain tissue.', *Modern pathology: an official journal of the United States and Canadian Academy of Pathology, Inc*, 14(11), pp. 1157–61. doi: 10.1038/modpathol.3880451.
- Davalos, D. et al. (2005) 'ATP mediates rapid microglial response to local brain injury in vivo', *Nature Neuroscience*, 8(6), pp. 752–758. doi: 10.1038/nn1472.
- Clark, S. J. et al. (2016) 'Single-cell epigenomics: Powerful new methods for understanding gene regulation and cell identity', *Genome Biology*, 17(1), p. 72. doi: 10.1186/s13059-016-0944-x.
- Cock, P. J. A. et al. (2010) 'The Sanger FASTQ file format for sequences with quality scores, and the Solexa/Illumina FASTQ variants', *Nucleic Acids Research*, 38(6), pp. 1767–1771. doi: 10.1093/nar/gkp1137.
- Collins, F. S. et al. (2003) 'A vision for the future of genomics research', *Nature*, 422(6934), pp. 835–847. doi: 10.1038/nature01626.
- Conaway, R. C. and Conaway, J. W. (1993) 'General Initiation Factors for RNA Polymerase II', *Annual Review of Biochemistry*, 62(1), pp. 161–190. doi: 10.1146/annurev.bi.62.070193.001113.
- Cuevas-Díaz Duran, R., Wei, H. and Wu, J. Q. (2017) 'Single-cell RNA-sequencing of the brain.', *Clinical and translational medicine*, 6(1), p. 20. doi: 10.1186/s40169-017-0150-9.
- Cunningham, C. L., Martinez-Cerdeno, V. and Noctor, S. C. (2013) 'Microglia Regulate the Number of Neural Precursor Cells in the Developing Cerebral Cortex', *Journal of Neuroscience*, 33(10), pp. 4216–4233. doi: 10.1523/JNEUROSCI.3441-12.2013.
- Dayhoff, M. O. et al. (1965) *Atlas of protein sequence and structure*. 1st edn. Silver Spring, Maryland: National Biomedical Research Foundation. Available at: <https://ntrs.nasa.gov/archive/nasa/casi.ntrs.nasa.gov/19660014530.pdf>.

- Dayhoff, M. O. et al. (1981) 'Nucleic Acid Sequence Database', *DNA*, 1(1), pp. 51–58. doi: 10.1089/dna.1.1981.1.51.
- Dey, S. S. et al. (2015) 'Integrated genome and transcriptome sequencing of the same cell', *Nature Biotechnology*, 33(3), pp. 285–289. doi: 10.1038/nbt.3129.
- Dobin, A. et al. (2013) 'STAR: Ultrafast universal RNA-seq aligner', *Bioinformatics*, 29(1). doi: 10.1093/bioinformatics/bts635.
- Dubbelaar, M. L. et al. (2019) 'BRAIn Interactive Sequencing Analysis Tool (BRAIn-SAT)
- E Hirbec, H., Noristani, H. N. and Perrin, F. E. (2017) 'Microglia Responses in Acute and Chronic Neurological Diseases: What Microglia-Specific Transcriptomic Studies Taught (and did Not Teach) Us.', *Frontiers in aging neuroscience*, 9, p. 227. doi: 10.3389/fnagi.2017.00227.
- Eggen, B. J. L., Boddeke, E. W. G. M. and Kooistra, S. M. (2017) 'Regulation of Microglia Identity from an Epigenetic and Transcriptomic Point of View', *Neuroscience*. doi: 10.1016/j.neuroscience.2017.12.010.
- Elsevier (2019) Growth in data and questions on quality are increasing researcher workload, finds new study from Elsevier and Sense about Science. Available at: <https://www.elsevier.com/about/press-releases/corporate/growth-in-data-and-questions-on-quality-are-increasing-researcher-workload-finds-new-study-from-elsevier-and-sense-about-science> (Accessed: 15 May 2020).
- DeAngelis, J. T., Farrington, W. J. and Tollefsbol, T. O. (2008) 'An Overview of Epigenetic Assays', *Molecular Biotechnology*, 38(2), pp. 179–183. doi: 10.1007/s12033-007-9010-y.
- Dixon, J. R. et al. (2012) 'Topological domains in mammalian genomes identified by analysis of chromatin interactions', *Nature*, 485(7398), pp. 376–380. doi: 10.1038/nature11082.
- Doyle, M., Phipson, B. and Dashnow, H. (2020) RNA-Seq reads to counts (Galaxy Training Materials).
- Edgar, R., Domrachev, M. and Lash, A. E. (2002) 'Gene Expression Omnibus: NCBI gene expression and hybridization array data repository', *Nucleic acids research*, 30(1), pp. 207–10. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11752295>.
- Elmore, M. R. P. et al. (2014) 'Colony-Stimulating Factor 1 Receptor Signaling Is Necessary for Microglia Viability, Unmasking a Microglia Progenitor Cell in the Adult Brain', *Neuron*, 82(2), pp. 380–397. doi: 10.1016/j.neuron.2014.02.040.
- EMBL-EBI (2019) European Nucleotide Archive. Available at: <https://www.ebi.ac.uk/ena>.
- Erler, J. et al. (2014) 'The Role of Histone Tails in the Nucleosome: A Computational Study', *Biophysical Journal*, 107(12), pp. 2911–2922. doi: 10.1016/j.bpj.2014.10.065.

- Eraslan, G. et al. (2019) 'Deep learning: new computational modelling techniques for genomics', *Nature Reviews Genetics*, 20(7), pp. 389–403. doi: 10.1038/s41576-019-0122-6.
- Ervin, J. F. et al. (2007) 'Postmortem delay has minimal effect on brain RNA integrity', *Journal of neuropathology and experimental neurology*, 66(12), pp. 1093–9. doi: 10.1097/nen.0b013e31815c196a.
- European Commission (2018) Towards access to at least 1 million sequenced genomes in the European Union by 2022. Brussels. Available at: http://ec.europa.eu.proxy-ub.rug.nl/newsroom/dae/document.cfm?doc_id=50964.
- Evogenao (no date) Tree of Life Explorer. Available at: <https://www.evogeneao.com/explore/tree-of-life-explorer> (Accessed: 18 November 2019).
- Feng, R. et al. (2008) 'PU.1 and C/EBPalpha/beta convert fibroblasts into macrophage-like cells', *Proceedings of the National Academy of Sciences of the United States of America*, 105(16), pp. 6057–62. doi: 10.1073/pnas.0711961105.
- Ferreira, P. G. et al. (2018) 'The effects of death and post-mortem cold ischemia on human tissue transcriptomes', *Nature communications*, 9(1), p. 490. doi: 10.1038/s41467-017-02772-x.
- Frost, J. L. and Schafer, D. P. (2016) 'Microglia: Architects of the Developing Nervous System', *Trends in Cell Biology*, 26(8), pp. 587–597. doi: 10.1016/j.tcb.2016.02.006.
- Eulenberg, P. et al. (2017) 'Reconstructing cell cycle and disease progression using deep learning', *Nature Communications*, 8(1), p. 463. doi: 10.1038/s41467-017-00623-3.
- European Commission (2020) European '1+ Million Genomes' Initiative. Available at: <https://ec.europa.eu/digital-single-market/en/european-1-million-genomes-initiative> (Accessed: 15 May 2020).
- Fang, R. et al. (2016) 'Mapping of long-range chromatin interactions by proximity ligation-assisted ChIP-seq', *Cell Research*, 26(12), pp. 1345–1348. doi: 10.1038/cr.2016.137.
- Fernández-Arjona, M. del M. et al. (2017) 'Microglia Morphological Categorization in a Rat Model of Neuroinflammation by Hierarchical Cluster and Principal Components Analysis', *Frontiers in Cellular Neuroscience*, 11. doi: 10.3389/fncel.2017.00235.
- Forsberg, M. et al. (2010) 'Efficient reprogramming of adult neural stem cells to monocytes by ectopic expression of a single gene', *Proceedings of the National Academy of Sciences of the United States of America*, 107(33), pp. 14657–61. doi: 10.1073/pnas.1009412107.
- Fu, I. et al. (2017) 'Nucleosome Histone Tail Conformation and Dynamics: Impacts of Lysine Acetylation and a Nearby Minor Groove Benzo[a]pyrene-Derived Lesion', *Biochemistry*, 56(14), pp. 1963–1973. doi: 10.1021/acs.biochem.6b01208.
- Furey, T. S. (2012) 'ChIP-seq and beyond: new and improved methodologies to detect and characterize protein–DNA interactions', *Nature Reviews Genetics*, 13(12), pp. 840–852. doi: 10.1038/nrg3306.

- Füger, P. et al. (2017) 'Microglia turnover with aging and in an Alzheimer's model via long-term in vivo single-cell imaging', *Nature Neuroscience*, 20(10), pp. 1371–1376. doi: 10.1038/nn.4631.
- van Furth, R. et al. (1972) 'The mononuclear phagocyte system: a new classification of macrophages, monocytes, and their precursor cells.', *Bulletin of the World Health Organization*, 46(6), pp. 845–52. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/4538544>.
- Furuichi, Y., LaFiandra, A. and Shatkin, A. J. (1977) '5'-Terminal structure and mRNA stability', *Nature*, 266(5599), pp. 235–239. doi: 10.1038/266235a0.
- Galatro, T., Vainchtein, I., et al. (2017) 'Isolation of Microglia and Immune Infiltrates from Mouse and Primate Central Nervous System', in, pp. 333–342. doi: 10.1007/978-1-4939-6786-5_23.
- Gallego Romero, I. et al. (2014) 'RNA-seq: impact of RNA degradation on transcript quantification.', *BMC biology*, 12, p. 42. doi: 10.1186/1741-7007-12-42.
- Geirsdottir, L. et al. (2019) 'Cross-Species Single-Cell Analysis Reveals Divergence of the Primate Microglia Program.', *Cell*, 179(7), pp. 1609–1622.e16. doi: 10.1016/j.cell.2019.11.010.
- Genome Reference Consortium (2019) Human Genome Assembly GRCh38.p13. Available at: <https://www.ncbi.nlm.nih.gov/grc/human/data> (Accessed: 27 May 2020).
- Gerrits, E. et al. (2019) 'Transcriptional profiling of microglia
- Furuichi, Y. et al. (1975) 'Methylated, blocked 5 termini in HeLa cell mRNA', *Proceedings of the National Academy of Sciences*, 72(5), pp. 1904–1908. doi: 10.1073/pnas.72.5.1904.
- Fyodorov, D. V. et al. (2018) 'Emerging roles of linker histones in regulating chromatin structure and function', *Nature Reviews Molecular Cell Biology*, 19(3), pp. 192–206. doi: 10.1038/nrm.2017.94.
- Galatro, T., Holtman, I., et al. (2017) 'Transcriptomic analysis of purified human cortical microglia reveals age-associated changes', *Nature Neuroscience*, 20(8), pp. 1162–1171. doi: 10.1038/nn.4597.
- Gautier, E. L. et al. (2012) 'Gene-expression profiles and transcriptional regulatory pathways that underlie the identity and diversity of mouse tissue macrophages.', *Nature immunology*, 13(11), pp. 1118–28. doi: 10.1038/ni.2419.
- Genome Reference Consortium (2017) Mouse Genome Assembly GRCm38.p6.
- George, N. I. and Chang, C.-W. (2014) 'DAFS: a data-adaptive flag method for RNA-sequencing data to differentiate genes with low and high expression', *BMC Bioinformatics*, 15(1), p. 92. doi: 10.1186/1471-2105-15-92.
- Giani, A. M. et al. (2020) 'Long walk to genomics: History and current approaches to genome sequencing and assembly', *Computational and Structural Biotechnology Journal*, 18, pp. 9–19. doi: 10.1016/j.csbj.2019.11.002.
- Ginhoux, F. et al. (2016) 'New insights into the multidimensional concept of macrophage ontogeny, activation and function.', *Nature immunology*, 17(1), pp. 34–40. doi: 10.1038/ni.3324.

- Giaimo, B. D. et al. (2019) 'The histone variant H2A.Z in gene regulation', *Epigenetics & Chromatin*, 12(1), p. 37. doi: 10.1186/s13072-019-0274-9.
- Ginhoux, F. et al. (2010) 'Fate Mapping Analysis Reveals That Adult Microglia Derive from Primitive Macrophages', *Science*, 330(6005), pp. 841–845. doi: 10.1126/science.1194637.
- Ginhoux, F. and Prinz, M. (2015) 'Origin of Microglia: Current Concepts and Past Controversies', *Cold Spring Harbor Perspectives in Biology*, 7(8), p. a020537. doi: 10.1101/cshperspect.a020537.
- Goldberg, A. D., Allis, C. D. and Bernstein, E. (2007) 'Epigenetics: A Landscape Takes Shape', *Cell*, 128(4), pp. 635–638. doi: 10.1016/j.cell.2007.02.006.
- Gomes-Leal, W. (2012) 'Microglial physiopathology: how to explain the dual role of microglia after acute neural disorders?', *Brain and Behavior*, 2(3), pp. 345–356. doi: 10.1002/brb3.51.
- Gosselin, D. et al. (2014) 'Environment drives selection and function of enhancers controlling tissue-specific macrophage identities', *Cell*, 159(6), pp. 1327–1340. doi: 10.1016/j.cell.2014.11.023.
- Grabert, K. et al. (2016) 'Microglial brain region-dependent diversity and selective regional sensitivities to aging', *Nature Neuroscience*, 19(3), pp. 504–516. doi: 10.1038/nn.4222.
- Grewal, S. I. and Rice, J. C. (2004) 'Regulation of heterochromatin by histone methylation and small RNAs', *Current Opinion in Cell Biology*, 16(3), pp. 230–238. doi: 10.1016/j.ceb.2004.04.002.
- Github (2020) Github. Available at: <https://github.com/> (Accessed: 28 May 2020).
- Goldmann, T. et al. (2016) 'Origin, fate and dynamics of macrophages at central nervous system interfaces', *Nature Immunology*, 17(7), pp. 797–805. doi: 10.1038/ni.3423.
- Goodwin, S., McPherson, J. D. and McCombie, W. R. (2016) 'Coming of age: ten years of next-generation sequencing technologies', *Nature Reviews Genetics*, 17(6), pp. 333–351. doi: 10.1038/nrg.2016.49.
- Gosselin, D. et al. (2017) 'An environment-dependent transcriptional network specifies human microglia identity', *Science*, 356(6344), p. eaal3222. doi: 10.1126/science.aal3222.
- Greter, M., Lelios, I. and Croxford, A. L. (2015) 'Microglia Versus Myeloid Cell Nomenclature during Brain Inflammation', *Frontiers in Immunology*, 6. doi: 10.3389/fimmu.2015.00249.
- Griffiths, A. et al. (2000) *An Introduction to Genetic Analysis*. 7th edn. W.H. Freeman & Company.
- Gupta, K. et al. (2016) 'Zooming in on Transcription Preinitiation', *Journal of Molecular Biology*, 428(12), pp. 2581–2591. doi: 10.1016/j.jmb.2016.04.003.
- Haberle, V. and Stark, A. (2018) 'Eukaryotic core promoters and the functional basis of transcription initiation', *Nature Reviews Molecular Cell Biology*, 19(10), pp. 621–637. doi: 10.1038/s41580-018-0028-8.

- Grote, S. (2019) 'GOfuncR: Gene ontology enrichment using FUNC'.
- Gurumurthy, C. B. and Lloyd, K. C. K. (2019) 'Generating mouse models for biomedical research: technological advances', *Disease Models & Mechanisms*, 12(1), p. dmm029462. doi: 10.1242/dmm.029462.
- van Ham, T. J. et al. (2014) 'Intravital correlated microscopy reveals differential macrophage and microglial dynamics during resolution of neuroinflammation', *Disease Models & Mechanisms*, 7(7), pp. 857–869. doi: 10.1242/dmm.014886.
- Hanamsagar, R. et al. (2017) 'Generation of a microglial developmental index in mice and in humans reveals a sex difference in maturation and immune reactivity', *Glia*, 65(9), pp. 1504–1520. doi: 10.1002/glia.23176.
- Hanisch, U.-K. and Kettenmann, H. (2007) 'Microglia: active sensor and versatile effector cells in the normal and pathologic brain', *Nature Neuroscience*, 10(11), pp. 1387–1394. doi: 10.1038/nn1997.
- Haque, M. M., Holder, L. B. and Skinner, M. K. (2015) 'Genome-Wide Locations of Potential Epimutations Associated with Environmentally Induced Epigenetic Transgenerational Inheritance of Disease Using a Sequential Machine Learning Prediction Approach', *PLOS ONE*. Edited by T. Shioda, 10(11), p. e0142274. doi: 10.1371/journal.pone.0142274.
- Hashimoto, D. et al. (2013) 'Tissue-resident macrophages self-maintain locally throughout adult life with minimal contribution from circulating monocytes', *Immunity*, 38(4), pp. 792–804. doi: 10.1016/j.immuni.2013.04.004.
- Hammond, T. R. et al. (2019) 'Single-Cell RNA Sequencing of Microglia throughout the Mouse Lifespan and in the Injured Brain Reveals Complex Cell-State Changes', *Immunity*, 50(1), pp. 253–271.e6. doi: 10.1016/j.immuni.2018.11.004.
- Hanisch, U.-K. (2002) 'Microglia as a source and target of cytokines', *Glia*, 40(2), pp. 140–155. doi: 10.1002/glia.10161.
- Hannon Lab (no date) FASTQ/A short-reads pre-processing tools. Available at: http://hannonlab.cshl.edu/fastx_toolkit/ (Accessed: 20 June 2019).
- Harrison, P. J. et al. (1995) 'The relative importance of premortem acidosis and postmortem interval for human brain gene expression studies: selective mRNA vulnerability and comparison with their encoded proteins', *Neuroscience letters*, 200(3), pp. 151–4. doi: 10.1016/0304-3940(95)12102-a.
- Heinrich, M. et al. (2007) 'Successful RNA extraction from various human postmortem tissues', *International journal of legal medicine*, 121(2), pp. 136–42. doi: 10.1007/s00414-006-0131-9.
- Hendrickx, D. A. E. et al. (2017) 'Gene Expression Profiling of Multiple Sclerosis Pathology Identifies Early Patterns of Demyelination Surrounding Chronic Active Lesions', *Frontiers in Immunology*, 8. doi: 10.3389/fimmu.2017.01810.
- Henikoff, S. and Ahmad, K. (2005) 'ASSEMBLY OF VARIANT HISTONES INTO CHROMATIN', *Annual Review of Cell and Developmental Biology*, 21(1), pp. 133–153. doi: 10.1146/annurev.cellbio.21.012704.133518.

- Hellwig, S. et al. (2016) 'Altered microglia morphology and higher resilience to stress-induced depression-like behavior in CX3CR1-deficient mice.', *Brain, behavior, and immunity*, 55, pp. 126–137. doi: 10.1016/j.bbi.2015.11.008.
- Henikoff, S. (2008) 'Nucleosome destabilization in the epigenetic regulation of gene expression', *Nature Reviews Genetics*, 9(1), pp. 15–26. doi: 10.1038/nrg2206.
- Hickman, S. E. et al. (2013) 'The microglial sensome revealed by direct RNA sequencing.', *Nature neuroscience*, 16(12). doi: 10.1038/nn.3554.
- Ho, D. S. W. et al. (2019) 'Machine Learning SNP Based Prediction for Precision Medicine', *Frontiers in Genetics*, 10. doi: 10.3389/fgene.2019.00267.
- Hoeffel, G. and Ginhoux, F. (2015) 'Ontogeny of Tissue-Resident Macrophages.', *Frontiers in immunology*, 6, p. 486. doi: 10.3389/fimmu.2015.00486.
- Holtman, I., Noback, M., et al. (2015) 'Glia Open Access Database (GOAD): A comprehensive gene expression encyclopedia of glia cells in health and disease', *Glia*, 63(9), pp. 1495–1506. doi: 10.1002/glia.22810.
- Holtman, I. R., Skola, D. and Glass, C. K. (2017) 'Transcriptional control of microglia phenotypes in health and disease', *Journal of Clinical Investigation*, 127(9), pp. 3220–3229. doi: 10.1172/JCI90604.
- Hickman, S. E., Allison, E. K. and El Khoury, J. (2008) 'Microglial Dysfunction and Defective γ -Amyloid Clearance Pathways in Aging Alzheimer's Disease Mice', *Journal of Neuroscience*, 28(33), pp. 8354–8360. doi: 10.1523/JNEUROSCI.0616-08.2008.
- Hoeffel, G. et al. (2015) 'C-Myb(+) erythro-myeloid progenitor-derived fetal monocytes give rise to adult tissue-resident macrophages.', *Immunity*, 42(4), pp. 665–78. doi: 10.1016/j.immuni.2015.03.011.
- Holder, L. B., Haque, M. M. and Skinner, M. K. (2017) 'Machine learning for epigenetics and future medical applications', *Epigenetics*, 12(7), pp. 505–514. doi: 10.1080/15592294.2017.1329068.
- Holtman, I., Raj, D., et al. (2015) 'Induction of a common microglia gene expression signature by aging and neurodegenerative conditions: a co-expression meta-analysis', *Acta Neuropathologica Communications*, 3(1), p. 31. doi: 10.1186/s40478-015-0203-5.
- Horn, A. E., Kugel, J. F. and Goodrich, J. A. (2016) 'Single molecule microscopy reveals mechanistic insight into RNA polymerase II preinitiation complex assembly and transcriptional activity', *Nucleic Acids Research*, p. gkw321. doi: 10.1093/nar/gkw321.
- Hotelling, H. (1936) 'Relations Between Two Sets of Variates', *Biometrika*, 28(3/4), p. 321. doi: 10.2307/2333955.
- Van Hove, H. et al. (2019) 'A single-cell atlas of mouse brain macrophages reveals unique transcriptional identities shaped by ontogeny and tissue environment', *Nature Neuroscience*, 22(6), pp. 1021–1035. doi: 10.1038/s41593-019-0393-4.

- Hoss, A. G. et al. (2016) 'microRNA Profiles in Parkinson's Disease Prefrontal Cortex', *Frontiers in Aging Neuroscience*, 8. doi: 10.3389/fnagi.2016.00036.
- Hou, B.-R. et al. (2020) 'Exosome-mediated crosstalk between microglia and neural stem cells in the repair of brain injury', *Neural Regeneration Research*, 15(6), p. 1023. doi: 10.4103/1673-5374.270302.
- Huang, E. J. and Reichardt, L. F. (2001) 'Neurotrophins: Roles in Neuronal Development and Function', *Annual Review of Neuroscience*, 24(1), pp. 677–736. doi: 10.1146/annurev.neuro.24.1.677.
- International Human Genome Sequencing Consortium (2001) 'Initial sequencing and analysis of the human genome', *Nature*, 409(6822), pp. 860–921. doi: 10.1038/35057062.
- Itoh, Y. et al. (2019) 'A comparative analysis of Smad-responsive motifs identifies multiple regulatory inputs for TGF- β transcriptional activation', *Journal of Biological Chemistry*, 294(42), pp. 15466–15479. doi: 10.1074/jbc.RA119.009877.
- Jacobsen, A. et al. (2020) 'A Generic Workflow for the Data FAIRification Process', *Data Intelligence*, 2(1–2), pp. 56–65. doi: 10.1162/dint_a_00028.
- Janssen, L. et al. (2017) 'Aging, microglia and cytoskeletal regulation are key factors in the pathological evolution of the APP23 mouse model for Alzheimer's disease', *Biochimica et biophysica acta*, 1863(2), pp. 395–405. doi: 10.1016/j.bbadis.2016.11.014.
- Johnson, D. S. et al. (2007) 'Genome-Wide Mapping of in Vivo Protein-DNA Interactions', *Science*, 316(5830), pp. 1497–1502. doi: 10.1126/science.1141319.
- Hyun, K. et al. (2017) 'Writing, erasing and reading histone lysine methylations', *Experimental & Molecular Medicine*, 49(4), pp. e324–e324. doi: 10.1038/emmm.2017.11.
- International Human Genome Sequencing Consortium (2004) 'Finishing the euchromatic sequence of the human genome', *Nature*, 431(7011), pp. 931–945. doi: 10.1038/nature03001.
- Jacob, F. and Monod, J. (1961) 'Genetic regulatory mechanisms in the synthesis of proteins', *Journal of Molecular Biology*, 3(3), pp. 318–356. doi: 10.1016/S0022-2836(61)80072-7.
- Jambhekar, A., Dhali, A. and Shi, Y. (2019) 'Roles and regulation of histone methylation in animal development', *Nature Reviews Molecular Cell Biology*, 20(10), pp. 625–641. doi: 10.1038/s41580-019-0151-1.
- Ji, K. et al. (2013) 'Microglia Actively Regulate the Number of Functional Synapses', *PLoS ONE*. Edited by A. Dunaevsky, 8(2), p. e56293. doi: 10.1371/journal.pone.0056293.
- Johnson, S. A., Morgan, D. G. and Finch, C. E. (1986) 'Extensive postmortem stability of RNA from rat and human brain', *Journal of neuroscience research*, 16(1), pp. 267–80. doi: 10.1002/jnr.490160123.
- Kalueff, A. V., Stewart, A. M. and Gerlai, R. (2014) 'Zebrafish as an emerging model for studying complex brain disorders', *Trends in Pharmacological Sciences*, 35(2), pp. 63–75. doi: 10.1016/j.tips.2013.12.002.
- Keren-Shaul, H. et al. (2017) 'A Unique Microglia Type Associated with Restricting Development of Alzheimer's Disease', *Cell*, 169(7), pp. 1276-1290.e17. doi: 10.1016/j.cell.2017.05.018.

- Johnson, W. E., Li, C. and Rabinovic, A. (2007) 'Adjusting batch effects in microarray expression data using empirical Bayes methods.', *Biostatistics* (Oxford, England), 8(1), pp. 118–27. doi: 10.1093/biostatistics/kxj037.
- Kamphuis, W. et al. (2016) 'Transcriptional profiling of CD11c-positive microglia accumulating around amyloid plaques in a mouse model for Alzheimer's disease', *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1862(10), pp. 1847–1860. doi: 10.1016/j.bbadis.2016.07.007.
- Kettenmann, H. et al. (2011) 'Physiology of Microglia', *Physiological Reviews*, 91(2), pp. 461–553. doi: 10.1152/physrev.00011.2010.
- Kim, C. C., Nakamura, M. C. and Hsieh, C. L. (2016) 'Brain trauma elicits non-canonical macrophage activation states.', *Journal of neuroinflammation*, 13(1), p. 117. doi: 10.1186/s12974-016-0581-z.
- Kim, D., Langmead, B. and Salzberg, S. L. (2015) 'HISAT: a fast spliced aligner with low memory requirements', *Nature Methods*, 12(4), pp. 357–360. doi: 10.1038/nmeth.3317.
- Kobayashi, H. et al. (1990) 'Stability of messenger RNA in postmortem human brains and construction of human brain cDNA libraries.', *Journal of molecular neuroscience : MN*, 2(1), pp. 29–34. doi: 10.1007/bf02896923.
- Koppelkamm, A. et al. (2011) 'RNA integrity in post-mortem samples: influencing parameters and implications on RT-qPCR assays.', *International journal of legal medicine*, 125(4), pp. 573–80. doi: 10.1007/s00414-011-0578-1.
- Kierdorf, K. et al. (2013) 'Microglia emerge from erythromyeloid precursors via Pu.1- and Irf8-dependent pathways.', *Nature neuroscience*, 16(3), pp. 273–80. doi: 10.1038/nn.3318.
- Kim, D. et al. (2019) 'Graph-based genome alignment and genotyping with HISAT2 and HISAT-genotype', *Nature Biotechnology*, 37(8), pp. 907–915. doi: 10.1038/s41587-019-0201-4.
- Kluge, M. G. et al. (2017) 'Impaired microglia process dynamics post-stroke are specific to sites of secondary neurodegeneration.', *Glia*, 65(12), pp. 1885–1899. doi: 10.1002/glia.23201.
- Koeniger, T. and Kuerten, S. (2017) 'Splitting the "Unsplittable": Dissecting Resident and Infiltrating Macrophages in Experimental Autoimmune Encephalomyelitis', *International Journal of Molecular Sciences*, 18(10), p. 2072. doi: 10.3390/ijms18102072.
- Kornberg, R. D. and Lorch, Y. (1992) 'Chromatin Structure and Transcription', *Annual Review of Cell Biology*, 8(1), pp. 563–587. doi: 10.1146/annurev.cb.08.110192.003023.
- Krasemann, S. et al. (2017) 'The TREM2-APOE Pathway Drives the Transcriptional Phenotype of Dysfunctional Microglia in Neurodegenerative Diseases', *Immunity*, 47(3), pp. 566–581.e9. doi: 10.1016/j.immuni.2017.08.008.
- Krueger, F. (2012) 'Trim Galore!' Available at: https://www.bioinformatics.babraham.ac.uk/projects/trim_galore/.

- Kouzarides, T. (2007) 'Chromatin Modifications and Their Function', *Cell*, 128(4), pp. 693–705. doi: 10.1016/j.cell.2007.02.005.
- Kreutzberg, G. W. (1996) 'Microglia: a sensor for pathological events in the CNS', *Trends in Neurosciences*, 19(8), pp. 312–318. doi: 10.1016/0166-2236(96)10049-7.
- Krumholz, H. M. (2014) 'Big Data And New Knowledge In Medicine: The Thinking, Training, And Tools Needed For A Learning Health System', *Health Affairs*, 33(7), pp. 1163–1170. doi: 10.1377/hlthaff.2014.0053.
- Kundaje, A. et al. (2015) 'Integrative analysis of 111 reference human epigenomes', *Nature*, 518(7539), pp. 317–330. doi: 10.1038/nature14248.
- Lavin, Y. et al. (2014) 'Tissue-resident macrophage enhancer landscapes are shaped by the local microenvironment', *Cell*, 159(6), pp. 1312–26. doi: 10.1016/j.cell.2014.11.018.
- Lawson, L. J., Perry, V. H. and Gordon, S. (1992) 'Turnover of resident microglia in the normal adult mouse brain', *Neuroscience*, 48(2), pp. 405–415. doi: 10.1016/0306-4522(92)90500-2.
- Li, B. et al. (2009) 'RNA-Seq gene expression estimation with read mapping uncertainty', *Bioinformatics*, 26(4), pp. 493–500. doi: 10.1093/bioinformatics/btp692.
- Kuhlmann, T. et al. (2017) 'An updated histological classification system for multiple sclerosis lesions', *Acta Neuropathologica*, 133(1), pp. 13–24. doi: 10.1007/s00401-016-1653-y.
- Langmead, B. et al. (2009) 'Ultrafast and memory-efficient alignment of short DNA sequences to the human genome', *Genome Biology*, 10(3), p. R25. doi: 10.1186/gb-2009-10-3-r25.
- Lawson, L. J. et al. (1990) 'Heterogeneity in the distribution and morphology of microglia in the normal adult mouse brain', *Neuroscience*, 39(1), pp. 151–170. doi: 10.1016/0306-4522(90)90229-W.
- Lewis, N. D. et al. (2014) 'RNA sequencing of microglia and monocyte-derived macrophages from mice with experimental autoimmune encephalomyelitis illustrates a changing phenotype with disease course', *Journal of neuroimmunology*, 277(1–2), pp. 26–38. doi: 10.1016/j.jneuroim.2014.09.014.
- Li, H. et al. (2009) 'The Sequence Alignment/Map format and SAMtools', *Bioinformatics (Oxford, England)*, 25(16), pp. 2078–9. doi: 10.1093/bioinformatics/btp352.
- Liao, Y., Smyth, G. K. and Shi, W. (2014) 'featureCounts: an efficient general purpose program for assigning sequence reads to genomic features', *Bioinformatics (Oxford, England)*, 30(7), pp. 923–30. doi: 10.1093/bioinformatics/btt656.
- Love, M. I., Huber, W. and Anders, S. (2014) 'Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2', *Genome biology*, 15(12). doi: 10.1186/s13059-014-0550-8.

- Li, Q. et al. (2019) 'Developmental Heterogeneity of Microglia and Brain Myeloid Cells Revealed by Deep Single-Cell RNA Sequencing', *Neuron*, 101(2), pp. 207–223.e10. doi: 10.1016/j.neuron.2018.12.006.
- Lim, L. and Canellakis, E. S. (1970) 'Adenine-rich Polymer associated with Rabbit Reticulocyte Messenger RNA', *Nature*, 227(5259), pp. 710–712. doi: 10.1038/227710a0.
- Luger, K. et al. (1997) 'Crystal structure of the nucleosome core particle at 2.8 Å resolution', *Nature*, 389(6648), pp. 251–260. doi: 10.1038/38444.
- van der Maarten, L. J. P. and Hinton, G. . (2008) 'Visualizing Data using t-SNE', *Journal of Machine Learning Research*, 9, pp. 2579–2605. Available at: <http://www.jmlr.org/papers/volume9/vandermaaten08a/vandermaaten08a.pdf>.
- Macias, M. J., Martin-Malpartida, P. and Massagué, J. (2015) 'Structural determinants of Smad function in TGF- β signaling', *Trends in Biochemical Sciences*, 40(6), pp. 296–308. doi: 10.1016/j.tibs.2015.03.012.
- Mancarci, B. O. et al. (2017) 'Cross-Laboratory Analysis of Brain Cell Type Transcriptomes with Applications to Interpretation of Bulk Tissue Data', *eneuro*, 4(6), p. ENEURO.0212-17.2017. doi: 10.1523/ENEURO.0212-17.2017.
- Manzoni, C. et al. (2018) 'Genome, transcriptome and proteome: the rise of omics data and their integration in biomedical sciences', *Briefings in Bioinformatics*, 19(2), pp. 286–302. doi: 10.1093/bib/bbw114.
- Lun, A. and Risso, D. (2019) 'SingleCellExperiment: S4 Classes for Single Cell Data'.
- Macaulay, I. C. et al. (2015) 'G&P
- Maeshima, K. et al. (2014) 'Chromatin as dynamic 10-nm fibers', *Chromosoma*, 123(3), pp. 225–237. doi: 10.1007/s00412-014-0460-2.
- Maniatis, S. et al. (2019) 'Spatiotemporal dynamics of molecular pathology in amyotrophic lateral sclerosis', *Science*, 364(6435), pp. 89–93. doi: 10.1126/science.aav9776.
- 'Margaret Oakley Dayhoff 1925–1983' (1984) *Bulletin of Mathematical Biology*, 46(4), pp. 467–472. doi: 10.1007/BF02459497.
- Martinez, F. O. and Gordon, S. (2014) 'The M1 and M2 paradigm of macrophage activation: time for reassessment.', *F1000prime reports*, 6, p. 13. doi: 10.12703/P6-13.
- Mastroeni, D. et al. (2018) 'Laser-captured microglia in the Alzheimer's and Parkinson's brain reveal unique regional expression profiles and suggest a potential role for hepatitis B in the Alzheimer's brain', *Neurobiology of Aging*, 63, pp. 12–21. doi: 10.1016/j.neurobiolaging.2017.10.019.

- Marmorstein, R. and Zhou, M.-M. (2014) 'Writers and Readers of Histone Acetylation: Structure, Mechanism, and Inhibition', *Cold Spring Harbor Perspectives in Biology*, 6(7), pp. a018762–a018762. doi: 10.1101/cshperspect.a018762.
- Mass, E. et al. (2016) 'Specification of tissue-resident macrophages during organogenesis', *Science*, 353(6304), pp. aaf4238–aaf4238. doi: 10.1126/science.aaf4238.
- Matcovitch-Natan, O. et al. (2016) 'Microglia development follows a stepwise program to regulate brain homeostasis', *Science (New York, N.Y.)*, 353(6301), p. aad8670. doi: 10.1126/science.aad8670.
- Medical Research Council (MRC) and Wellcome Trust (no date) Primates in medical research. Available at: http://www.mbfys.ru.nl/~johnvo/Primates_in_Research.pdf (Accessed: 18 November 2019).
- Miele, A. and Dekker, J. (2008) 'Long-range chromosomal interactions and gene regulation', *Molecular BioSystems*, 4(11), p. 1046. doi: 10.1039/b803580f.
- Mills, C. D. et al. (2000) 'M-1/M-2 macrophages and the Th1/Th2 paradigm', *Journal of immunology (Baltimore, Md. : 1950)*, 164(12), pp. 6166–73. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10843666>.
- Mishra, A. and Hawkins, R. D. (2017) 'Three-dimensional genome architecture and emerging technologies: looping in disease', *Genome Medicine*, 9(1), p. 87. doi: 10.1186/s13073-017-0477-2.
- Mathys, H. et al. (2017) 'Temporal Tracking of Microglia Activation in Neurodegeneration at Single-Cell Resolution', *Cell Reports*, 21(2), pp. 366–380. doi: 10.1016/j.celrep.2017.09.039.
- Mele, M. et al. (2015) 'The human transcriptome across tissues and individuals', *Science*, 348(6235), pp. 660–665. doi: 10.1126/science.aaa0355.
- Mihaly, S. R., Ninomiya-Tsuji, J. and Morioka, S. (2014) 'TAK1 control of cell death', *Cell Death & Differentiation*, 21(11), pp. 1667–1676. doi: 10.1038/cdd.2014.123.
- Min, S., Lee, B. and Yoon, S. (2016) 'Deep learning in bioinformatics', *Briefings in Bioinformatics*, p. bbw068. doi: 10.1093/bib/bbw068.
- Mittelbronn, M. et al. (2001) 'Local distribution of microglia in the normal adult human central nervous system differs by up to one order of magnitude', *Acta Neuropathologica*, 101(3), pp. 249–255. doi: 10.1007/s004010000284.
- Monier, A. et al. (2006) 'Distribution and differentiation of microglia in the human encephalon during the first two trimesters of gestation', *The Journal of comparative neurology*, 499(4), pp. 565–82. doi: 10.1002/cne.21123.
- Murray, P. J. et al. (2014) 'Macrophage activation and polarization: nomenclature and experimental guidelines', *Immunity*, 41(1), pp. 14–20. doi: 10.1016/j.immuni.2014.06.008.

- Moncada, R. et al. (2020) 'Integrating microarray-based spatial transcriptomics and single-cell RNA-seq reveals tissue architecture in pancreatic ductal adenocarcinomas', *Nature Biotechnology*, 38(3), pp. 333–342. doi: 10.1038/s41587-019-0392-8.
- Murray-Rust, P. (2008) 'Open Data in Science', *Serials Review*, 34(1), pp. 52–64. doi: 10.1016/j.serrev.2008.01.001.
- Nakanishi, M. et al. (2007) 'Microglia-derived interleukin-6 and leukaemia inhibitory factor promote astrocytic differentiation of neural stem/progenitor cells', *European Journal of Neuroscience*, 25(3), pp. 649–658. doi: 10.1111/j.1460-9568.2007.05309.x.
- National Human Genome Research Institute (2019) The Cost of Sequencing a Human Genome. Available at: <https://www.genome.gov/about-genomics/factsheets/Sequencing-Human-Genome-cost> (Accessed: 20 May 2020).
- Nerlov, C. and Graf, T. (1998) 'PU.1 induces myeloid lineage commitment in multipotent hematopoietic progenitors', *Genes & Development*, 12(15), pp. 2403–2412. doi: 10.1101/gad.12.15.2403.
- Nikodemova, M. et al. (2015) 'Microglial numbers attain adult levels after undergoing a rapid decrease in cell number in the third postnatal week', *Journal of Neuroimmunology*, 278, pp. 280–288. doi: 10.1016/j.jneuroim.2014.11.018.
- November, J. (2018) 'More than Moore's Mores: Computers, Genomics, and the Embrace of Innovation', *Journal of the History of Biology*, 51(4), pp. 807–840. doi: 10.1007/s10739-018-9539-6.
- Narlikar, G. J., Sundaramoorthy, R. and Owen-Hughes, T. (2013) 'Mechanisms and Functions of ATP-Dependent Chromatin-Remodeling Enzymes', *Cell*, 154(3), pp. 490–503. doi: 10.1016/j.cell.2013.07.011.
- Navarro, F. C. P. et al. (2019) 'Genomics and data science: an application within an umbrella', *Genome Biology*, 20(1), p. 109. doi: 10.1186/s13059-019-1724-1.
- Nicholas, R. S. J., Wing, M. G. and Compston, A. (2001) 'Nonactivated microglia promote oligodendrocyte precursor survival and maturation through the transcription factor NF- κ B', *European Journal of Neuroscience*, 13(5), pp. 959–967. doi: 10.1046/j.0953-816x.2001.01470.x.
- Nimmerjahn, A., Kirchhoff, F. and Helmchen, F. (2005) 'Resting microglial cells are highly dynamic surveillants of brain parenchyma in vivo.', *Science* (New York, N.Y.), 308(5726), pp. 1314–8. doi: 10.1126/science.11110647.
- Ohler, U. et al. (2002) 'Computational analysis of core promoters in the *Drosophila* genome.', *Genome biology*, 3(12), p. RESEARCH0087. doi: 10.1186/gb-2002-3-12-research0087.
- Oosterhof, N. et al. (2017) 'Identification of a conserved and acute neurodegeneration-specific microglial transcriptome in the zebrafish', *Glia*, 65(1), pp. 138–149. doi: 10.1002/glia.23083.
- Ostuni, R. and Natoli, G. (2011) 'Transcriptional control of macrophage diversity and specialization', *European Journal of Immunology*, 41(9), pp. 2486–2490. doi: 10.1002/eji.201141706.

- Olah, M. et al. (2018) 'A single cell-based atlas of human microglial states reveals associations with neurological disorders and histopathological features of the aging brain'. Available at: <https://doi.org/10.1101/343780>.
- Orre, M. et al. (2014) 'Acute isolation and transcriptome characterization of cortical astrocytes and microglia from young and aged mice', *Neurobiology of Aging*, 35(1), pp. 1–14. doi: 10.1016/j.neurobiolaging.2013.07.008.
- Painter, M. M. et al. (2015) 'TREM2 in CNS homeostasis and neurodegenerative disease', *Molecular Neurodegeneration*, 10(1), p. 43. doi: 10.1186/s13024-015-0040-9.
- Papageorgiou, L. et al. (2018) 'Genomic big data hitting the storage bottleneck', *EMBNETjournal*, 24, p. e910. doi: 10.14806/ej.24.0.910.
- Pearson, K. (1901) 'LIII. On lines and planes of closest fit to systems of points in space', *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*. Taylor & Francis, 2(11), pp. 559–572. doi: 10.1080/14786440109462720.
- Pérez-Cerdá, F., Sánchez-Gómez, M. V. and Matute, C. (2015) 'Pío del Río Hortega and the discovery of the oligodendrocytes', *Frontiers in Neuroanatomy*, 9. doi: 10.3389/fnana.2015.00092.
- Pham, T.-H. et al. (2013) 'Mechanisms of in vivo binding site selection of the hematopoietic master transcription factor PU.1', *Nucleic Acids Research*, 41(13), pp. 6391–6402. doi: 10.1093/nar/gkt355.
- Plotly Technologies Inc. (2015) 'Collaborative data science Publisher: Plotly Technologies Inc.' Montréal, QC.
- Paolicelli, R. C. et al. (2011) 'Synaptic pruning by microglia is necessary for normal brain development.', *Science (New York, N.Y.)*, 333(6048), pp. 1456–8. doi: 10.1126/science.1202529.
- Parkhurst, C. N. et al. (2013) 'Microglia Promote Learning-Dependent Synapse Formation through Brain-Derived Neurotrophic Factor', *Cell*, 155(7), pp. 1596–1609. doi: 10.1016/j.cell.2013.11.030.
- Pearson, W. R. and Lipman, D. J. (1988) 'Improved tools for biological sequence comparison.', *Proceedings of the National Academy of Sciences*, 85(8), pp. 2444–2448. doi: 10.1073/pnas.85.8.2444.
- Petrenko, N. et al. (2019) 'Requirements for RNA polymerase II preinitiation complex formation in vivo', *eLife*, 8. doi: 10.7554/eLife.43654.
- Phillips, K. A. et al. (2014) 'Why primate models matter', *American Journal of Primatology*, 76(9), pp. 801–827. doi: 10.1002/ajp.22281.
- Popova, T. et al. (2008) 'Effect of RNA quality on transcript intensity levels in microarray analysis of human post-mortem brain tissues.', *BMC genomics*, 9, p. 91. doi: 10.1186/1471-2164-9-91.
- Preece, P. and Cairns, N. J. (2003) 'Quantifying mRNA in postmortem human brain: influence of gender, age at death, postmortem interval, brain pH, agonal state and inter-lobe mRNA variance.', *Brain research. Molecular brain research*, 118(1–2), pp. 60–71. doi: 10.1016/s0169-328x(03)00337-1.
- Prinz, M., Jung, S. and Priller, J. (2019) 'Microglia Biology: One Century of Evolving Concepts', *Cell*. doi: 10.1016/j.cell.2019.08.053.

- Poss, Z. C., Ebmeier, C. C. and Taatjes, D. J. (2013) 'The Mediator complex and transcription regulation', *Critical Reviews in Biochemistry and Molecular Biology*, 48(6), pp. 575–608. doi: 10.3109/10409238.2013.840259.
- du Preez, L. L. and Patterson, H.-G. (2013) 'Secondary Structures of the Core Histone N-terminal Tails: Their Role in Regulating Chromatin Structure', in, pp. 37–55. doi: 10.1007/978-94-007-4525-4_2.
- Raha, D., Hong, M. and Snyder, M. (2010) 'ChIP-Seq: A Method for Global Identification of Regulatory Elements in the Genome', *Current Protocols in Molecular Biology*, 91(1), pp. 21.19.1–21.19.14. doi: 10.1002/0471142727.mb2119s91.
- Raj, D. et al. (2017) 'Increased White Matter Inflammation in Aging- and Alzheimer's Disease Brain', *Frontiers in Molecular Neuroscience*, 10. doi: 10.3389/fnmol.2017.00206.
- Ransohoff, R. M. (2016) 'A polarizing question: do M1 and M2 microglia exist?', *Nature neuroscience*, 19(8), pp. 987–91. doi: 10.1038/nn.4338.
- Reddy, T. E. (2017) 'The Functional Genome', in *Genomic and Precision Medicine*. Elsevier, pp. 21–44. doi: 10.1016/B978-0-12-800681-8.00002-5.
- Reshef, R. et al. (2017) 'The role of microglia and their CX3CR1 signaling in adult neurogenesis in the olfactory bulb', *eLife*, 6. doi: 10.7554/eLife.30809.
- Del Rio-Hortega, P. (1939) 'The microglia', *The Lancet*, 233(6036), pp. 1023–1026. doi: 10.1016/S0140-6736(00)60571-8.
- Raj, D. et al. (2014) 'Priming of microglia in a DNA-repair deficient model of accelerated aging', *Neurobiology of aging*, 35(9), pp. 2147–60. doi: 10.1016/j.neurobiolaging.2014.03.025.
- Ramani, V. et al. (2020) 'Sci-Hi-C: A single-cell Hi-C method for mapping 3D genome organization in large number of single cells', *Methods*, 170, pp. 61–68. doi: 10.1016/j.ymeth.2019.09.012.
- Rao, S. S. P. et al. (2014) 'A 3D Map of the Human Genome at Kilobase Resolution Reveals Principles of Chromatin Looping', *Cell*, 159(7), pp. 1665–1680. doi: 10.1016/j.cell.2014.11.021.
- Regev, A. et al. (2017) 'The Human Cell Atlas', *eLife*, 6. doi: 10.7554/eLife.27041.
- Réu, P. et al. (2017) 'The Lifespan and Turnover of Microglia in the Human Brain', *Cell Reports*, 20(4), pp. 779–784. doi: 10.1016/j.celrep.2017.07.004.
- del Río Hortega, P. (1918) 'Un nuevo método de investigación histológica e histopatológica'.
- Ritchie, M. E. et al. (2015) 'limma powers differential expression analyses for RNA-sequencing and microarray studies', *Nucleic Acids Research*, 43(7), pp. e47–e47. doi: 10.1093/nar/gkv007.
- Robinson, A. C. et al. (2016) 'Extended post-mortem delay times should not be viewed as a deterrent to the scientific investigation of human brain tissue: a study from the Brains for Dementia Research Network Neuropathology Study Group, UK', *Acta Neuropathologica*, 132(5), pp. 753–755. doi: 10.1007/s00401-016-1617-2.

- del Río Hortega, P. (1920) 'El 'tercer elemento' de los centros nerviosos. I. La microglia en estado normal.', *Bol. Soc. Esp. Biol* 8, pp. 68–92.
- Rivera, C. M. and Ren, B. (2013) 'Mapping Human Epigenomes', *Cell*, 155(1), pp. 39–55. doi: 10.1016/j.cell.2013.09.011.
- Robinson, M. D., McCarthy, D. J. and Smyth, G. K. (2010) 'edgeR: a Bioconductor package for differential expression analysis of digital gene expression data.', *Bioinformatics* (Oxford, England), 26(1), pp. 139–40. doi: 10.1093/bioinformatics/btp616.
- Rojanathammanee, L., Murphy, E. J. and Combs, C. K. (2011) 'Expression of mutant alpha-synuclein modulates microglial phenotype in vitro', *Journal of Neuroinflammation*, 8(1), p. 44. doi: 10.1186/1742-2094-8-44.
- Saha, A., Wittmeyer, J. and Cairns, B. R. (2006) 'Chromatin remodelling: the industrial revolution of DNA around histones', *Nature Reviews Molecular Cell Biology*, 7(6), pp. 437–447. doi: 10.1038/nrm1945.
- Sanger, F. et al. (1978) 'The nucleotide sequence of bacteriophage ϕ X174', *Journal of Molecular Biology*, 125(2), pp. 225–246. doi: 10.1016/0022-2836(78)90346-7.
- Schaafsma, W. et al. (2017) 'Maternal inflammation induces immune activation of fetal microglia and leads to disrupted microglia immune responses, behavior, and learning performance in adulthood', *Neurobiology of Disease*, 106, pp. 291–300. doi: 10.1016/j.nbd.2017.07.017.
- Rodríguez-Iglesias, N., Sierra, A. and Valero, J. (2019) 'Rewiring of Memory Circuits: Connecting Adult Newborn Neurons With the Help of Microglia', *Frontiers in Cell and Developmental Biology*, 7. doi: 10.3389/fcell.2019.00024.
- Ryan, D. P. and Owen-Hughes, T. (2011) 'Snf2-family proteins: chromatin remodellers for any occasion', *Current Opinion in Chemical Biology*, 15(5), pp. 649–656. doi: 10.1016/j.cbpa.2011.07.022.
- Sainsbury, S., Bernecky, C. and Cramer, P. (2015) 'Structural basis of transcription initiation by RNA polymerase II', *Nature Reviews Molecular Cell Biology*, 16(3), pp. 129–143. doi: 10.1038/nrm3952.
- Saunders, G. et al. (2019) 'Leveraging European infrastructures to access 1 million human genomes by 2022', *Nature Reviews Genetics*, 20(11), pp. 693–701. doi: 10.1038/s41576-019-0156-9.
- Schafer, D. P. et al. (2012) 'Microglia sculpt postnatal neural circuits in an activity and complement-dependent manner', *Neuron*, 74(4), pp. 691–705. doi: 10.1016/j.neuron.2012.03.026.
- Schlegelmilch, T., Henke, K. and Peri, F. (2011) 'Microglia in the developing brain: from immunity to behaviour', *Current Opinion in Neurobiology*, 21(1), pp. 5–10. doi: 10.1016/j.conb.2010.08.004.
- Schwartzman, O. and Tanay, A. (2015) 'Single-cell epigenomics: Techniques and emerging applications', *Nature Reviews Genetics*, pp. 716–726. doi: 10.1038/nrg3980.

- Schena, M. et al. (1995) 'Quantitative Monitoring of Gene Expression Patterns with a Complementary DNA Microarray', *Science*, 270(5235), pp. 467–470. doi: 10.1126/science.270.5235.467.
- Schrider, D. R. and Kern, A. D. (2018) 'Supervised Machine Learning for Population Genetics: A New Paradigm', *Trends in Genetics*, 34(4), pp. 301–312. doi: 10.1016/j.tig.2017.12.005.
- Segal, E. et al. (2006) 'A genomic code for nucleosome positioning', *Nature*, 442(7104), pp. 772–778. doi: 10.1038/nature04979.
- Serizawa, H. (1997) 'The RNA polymerase II preinitiation complex formed in the presence of ATP', *Nucleic Acids Research*, 25(20), pp. 4079–4084. doi: 10.1093/nar/25.20.4079.
- Shiau, C. E. et al. (2015) 'Differential requirement for irf8 in formation of embryonic and adult macrophages in zebrafish.', *PloS one*, 10(1), p. e0117513. doi: 10.1371/journal.pone.0117513.
- Sierra, A. et al. (2010) 'Microglia Shape Adult Hippocampal Neurogenesis through Apoptosis-Coupled Phagocytosis', *Cell Stem Cell*, 7(4), pp. 483–495. doi: 10.1016/j.stem.2010.08.014.
- Sierra, A. et al. (2016) 'The "Big-Bang" for modern glial biology: Translation and comments on Pío del Río-Hortega 1919 series of papers on microglia.', *Glia*, 64(11), pp. 1801–40. doi: 10.1002/glia.23046.
- Sivarajah, U. et al. (2017) 'Critical analysis of Big Data challenges and analytical methods', *Journal of Business Research*, 70, pp. 263–286. doi: 10.1016/j.jbusres.2016.08.001.
- Serfling, E., Jasini, M. and Schaffner, W. (1985) 'Enhancers and eukaryotic gene transcription', *Trends in Genetics*, 1, pp. 224–230. doi: 10.1016/0168-9525(85)90088-5.
- Shalon, D., Smith, S. J. and Brown, P. O. (1996) 'A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization.', *Genome Research*, 6(7), pp. 639–645. doi: 10.1101/gr.6.7.639.
- Shigemoto-Mogami, Y. et al. (2014) 'Microglia Enhance Neurogenesis and Oligodendrogenesis in the Early Postnatal Subventricular Zone', *Journal of Neuroscience*, 34(6), pp. 2231–2243. doi: 10.1523/JNEUROSCI.1619-13.2014.
- Sierra, A. et al. (2013) 'Janus-faced microglia: beneficial and detrimental consequences of microglial phagocytosis', *Frontiers in Cellular Neuroscience*, 7. doi: 10.3389/fncel.2013.00006.
- Sigurgeirsson, B., Emanuelsson, O. and Lundberg, J. (2014) 'Sequencing degraded RNA addressed by 3' tag counting', *PloS one*, 9(3), p. e91851. doi: 10.1371/journal.pone.0091851.
- Smith, A. M. et al. (2013) 'The transcription factor PU.1 is critical for viability and function of human brain microglia', *Glia*, 61(6), pp. 929–942. doi: 10.1002/glia.22486.
- Solomon, M. J., Larsen, P. L. and Varshavsky, A. (1988) 'Mapping protein-DNA interactions in vivo with formaldehyde: Evidence that histone H4 is retained on a highly transcribed gene', *Cell*, 53(6), pp. 937–947. doi: 10.1016/S0092-8674(88)90469-2.
- Spector-Bagdady, K. et al. (2019) 'Genetic data partnerships: academic publications with privately owned or generated genetic data', *Genetics in Medicine*, 21(12), pp. 2827–2829. doi: 10.1038/s41436-019-0569-z.

- Sobue, S. et al. (2016) 'Characterization of gene expression profiling of mouse tissues obtained during the postmortem interval', *Experimental and Molecular Pathology*, 100(3), pp. 482–492. doi: 10.1016/j.yexmp.2016.05.007.
- Sousa, C., Biber, K. and Michelucci, A. (2017) 'Cellular and Molecular Characterization of Microglia: A Unique Immune Cell Population', *Frontiers in Immunology*, 8. doi: 10.3389/fimmu.2017.00198.
- Spittau, B. (2017) 'Aging Microglia—Phenotypes, Functions and Implications for Age-Related Neurodegenerative Diseases', *Frontiers in Aging Neuroscience*, 9. doi: 10.3389/fnagi.2017.00194.
- Stark, M. R. (2014) 'Vertebrate neurogenic placode development: Historical highlights that have shaped our current understanding', *Developmental Dynamics*, 243(10), pp. 1167–1175. doi: 10.1002/dvdy.24152.
- Stratonovich, R. L. (1960) 'Conditional Markov Processes', *Theory of Probability & Its Applications*, 5(2), pp. 156–178. doi: 10.1137/1105015.
- Swertz, M. A. et al. (2004) 'Molecular Genetics Information System (MOLGENIS): alternatives in developing local experimental genomics databases', *Bioinformatics (Oxford, England)*, 20(13), pp. 2075–83. doi: 10.1093/bioinformatics/bth206.
- Swinnen, N. et al. (2013) 'Complex invasion pattern of the cerebral cortex by microglial cells during development of the mouse embryo', *Glia*, 61(2), pp. 150–163. doi: 10.1002/glia.22421.
- Szklarczyk, D. et al. (2017) 'The STRING database in 2017: quality-controlled protein–protein association networks, made broadly accessible', *Nucleic Acids Research*, 45(D1), pp. D362–D368. doi: 10.1093/nar/gkw937.
- Ståhl, P. L. et al. (2016) 'Visualization and analysis of gene expression in tissue sections by spatial transcriptomics', *Science*, 353(6294), pp. 78–82. doi: 10.1126/science.aaf2403.
- Stephens, Z. D. et al. (2015) 'Big Data: Astronomical or Genomical?', *PLOS Biology*, 13(7), p. e1002195. doi: 10.1371/journal.pbio.1002195.
- Streit, W. J., Walter, S. A. and Pennell, N. A. (1999) 'Reactive microgliosis', *Progress in Neurobiology*, 57(6), pp. 563–581. doi: 10.1016/S0301-0082(98)00069-0.
- Swertz, M. A. et al. (2010) 'The MOLGENIS toolkit: rapid prototyping of biosoftware at the push of a button', *BMC Bioinformatics*, 11(Suppl 12), p. S12. doi: 10.1186/1471-2105-11-S12-S12.
- Szenker, E., Ray-Gallet, D. and Almouzni, G. (2011) 'The double face of the histone variant H3.3', *Cell Research*, 21(3), pp. 421–434. doi: 10.1038/cr.2011.14.
- Talbert, P. B. and Henikoff, S. (2010) 'Histone variants — ancient wrap artists of the epigenome', *Nature Reviews Molecular Cell Biology*, 11(4), pp. 264–275. doi: 10.1038/nrm2861.
- Tang, F. et al. (2009) 'mRNA-Seq whole-transcriptome analysis of a single cell', *Nature Methods*, 6(5), pp. 377–382. doi: 10.1038/nmeth.1315.
- Tasic, B. et al. (2016) 'Adult mouse cortical cell taxonomy revealed by single cell transcriptomics', *Nature neuroscience*, 19(2), pp. 335–46. doi: 10.1038/nn.4216.

- Tam, V. et al. (2019) 'Benefits and limitations of genome-wide association studies', *Nature Reviews Genetics*, 20(8), pp. 467–484. doi: 10.1038/s41576-019-0127-1.
- Tang, Y. and Le, W. (2016) 'Differential Roles of M1 and M2 Microglia in Neurodegenerative Diseases', *Molecular Neurobiology*, 53(2), pp. 1181–1194. doi: 10.1007/s12035-014-9070-5.
- Tay, T. L. et al. (2017) 'A new fate mapping system reveals context-dependent random or clonal expansion of microglia.', *Nature neuroscience*, 20(6), pp. 793–803. doi: 10.1038/nn.4547.
- Teif, V. B. and Rippe, K. (2009) 'Predicting nucleosome positions on the DNA: combining intrinsic sequence preferences and remodeler activities', *Nucleic Acids Research*, 37(17), pp. 5641–5655. doi: 10.1093/nar/gkp610.
- The ENCODE Project Consortium (2012) 'An integrated encyclopedia of DNA elements in the human genome', *Nature*, 489(7414), pp. 57–74. doi: 10.1038/nature11247.
- Tomita, H. et al. (2004) 'Effect of agonal and postmortem factors on gene expression profile: quality control in microarray analyses of postmortem human brain.', *Biological psychiatry*, 55(4), pp. 346–52. doi: 10.1016/j.biopsych.2003.10.013.
- Treviño, L. S., Wang, Q. and Walker, C. L. (2015) 'Phosphorylation of epigenetic "readers, writers and erasers": Implications for developmental reprogramming and the epigenetic basis for health and disease', *Progress in Biophysics and Molecular Biology*, 118(1–2), pp. 8–13. doi: 10.1016/j.pbiomolbio.2015.02.013.
- Tay, T. L., Carrier, M. and Tremblay, M.-È. (2019) 'Physiology of Microglia', in, pp. 129–148. doi: 10.1007/978-981-13-9913-8_6.
- Telenti, A. et al. (2016) 'Deep sequencing of 10,000 human genomes', *Proceedings of the National Academy of Sciences*, 113(42), pp. 11901–11906. doi: 10.1073/pnas.1613365113.
- Thion, M. S. et al. (2018) 'Microbiome Influences Prenatal and Adult Microglia in a Sex-Specific Manner.', *Cell*, 172(3), pp. 500–516.e16. doi: 10.1016/j.cell.2017.11.042.
- Tremblay, M.-È. et al. (2015) 'From the Cajal alumni Achúcarro and Río-Hortega to the rediscovery of never-resting microglia', *Frontiers in Neuroanatomy*, 9. doi: 10.3389/fnana.2015.00045.
- Trotter, S. A., Brill, L. B. and Bennett, J. P. (2002) 'Stability of gene expression in postmortem brain revealed by cDNA gene array analysis.', *Brain research*, 942(1–2), pp. 120–3. doi: 10.1016/s0006-8993(02)02644-6.
- Venegas, C. et al. (2017) 'Microglia-derived ASC specks cross-seed amyloid- β in Alzheimer's disease', *Nature*, 552(7685), pp. 355–361. doi: 10.1038/nature25158.
- Waddington, C. H. (2014) 'The strategy of the genes', in. Oxon and New York: Routledge, p. 261.

- Ueno, M. et al. (2013) 'Layer V cortical neurons require microglial support for survival during postnatal development', *Nature Neuroscience*, 16(5), pp. 543–551. doi: 10.1038/nn.3358.
- Venter, J. C. et al. (2001) 'The sequence of the human genome.', *Science (New York, N.Y.)*, 291(5507), pp. 1304–51. doi: 10.1126/science.1058040.
- Wagner, A., Regev, A. and Yosef, N. (2016) 'Revealing the vectors of cellular identity with single-cell genomics', *Nature Biotechnology*, 34(11), pp. 1145–1160. doi: 10.1038/nbt.3711.
- Wake, H. et al. (2013) 'Microglia: actively surveying and shaping neuronal circuit structure and function', *Trends in Neurosciences*, 36(4), pp. 209–217. doi: 10.1016/j.tins.2012.11.007.
- Wang, J. et al. (2012) 'Sequence features and chromatin structure around the genomic regions bound by 119 human transcription factors', *Genome Research*, 22(9), pp. 1798–1812. doi: 10.1101/gr.139105.112.
- Wang, Z., Lachmann, A. and Ma'ayan, A. (2019) 'Mining data and metadata from the gene expression omnibus', *Biophysical Reviews*, 11(1), pp. 103–110. doi: 10.1007/s12551-018-0490-8.
- Weinstock, K. G. et al. (1994) 'cDNA sequencing: a means of understanding cellular physiology', *Current Opinion in Biotechnology*, 5(6), pp. 599–603. doi: 10.1016/0958-1669(94)90081-7.
- Wilkinson, M. D. et al. (2016) 'The FAIR Guiding Principles for scientific data management and stewardship', *Scientific Data*, 3, p. 160018. doi: 10.1038/sdata.2016.18.
- Wake, H. et al. (2009) 'Resting Microglia Directly Monitor the Functional State of Synapses In Vivo and Determine the Fate of Ischemic Terminals', *Journal of Neuroscience*, 29(13), pp. 3974–3980. doi: 10.1523/JNEUROSCI.4363-08.2009.
- Walker, F. R. et al. (2014) 'Dynamic structural remodelling of microglia in health and disease: a review of the models, the signals and the mechanisms.', *Brain, behavior, and immunity*, 37, pp. 1–14. doi: 10.1016/j.bbi.2013.12.010.
- Wang, Z., Gerstein, M. and Snyder, M. (2009) 'RNA-Seq: a revolutionary tool for transcriptomics.', *Nature reviews. Genetics*, 10(1), pp. 57–63. doi: 10.1038/nrg2484.
- Watson, J. D. and Crick, F. H. (1953) 'Molecular structure of nucleic acids
- Wes, P. D. et al. (2016) 'Next generation transcriptomics and genomics elucidate biological complexity of microglia in health and disease.', *Glia*, 64(2), pp. 197–213. doi: 10.1002/glia.22866.
- Winter, D. R. and Amit, I. (2014) 'The role of chromatin dynamics in immune cell development', *Immunological Reviews*, 261(1), pp. 9–22. doi: 10.1111/imir.12200.
- Wynn, T. A., Chawla, A. and Pollard, J. W. (2013) 'Macrophage biology in development, homeostasis and disease.', *Nature*, 496(7446), pp. 445–55. doi: 10.1038/nature12034.
- Yamasaki, R. et al. (2014) 'Differential roles of microglia and monocytes in the inflamed central nervous system', *The Journal of Experimental Medicine*, 211(8), pp. 1533–1549. doi: 10.1084/jem.20132477.

- Wright-Jin, E. C. and Gutmann, D. H. (2019) 'Microglia as Dynamic Cellular Mediators of Brain Function', *Trends in Molecular Medicine*, 25(11), pp. 967–979. doi: 10.1016/j.molmed.2019.08.013.
- Xue, J. et al. (2014) 'Transcriptome-based network analysis reveals a spectrum model of human macrophage activation.', *Immunity*, 40(2), pp. 274–88. doi: 10.1016/j.immuni.2014.01.006.
- Yang, J. et al. (2014) 'Monocyte and macrophage differentiation: circulation inflammatory monocyte as biomarker for inflammatory diseases', *Biomarker Research*, 2(1), p. 1. doi: 10.1186/2050-7771-2-1.
- Yeh, H. and Ikezu, T. (2019) 'Transcriptional and Epigenetic Regulation of Microglia in Health and Disease', *Trends in Molecular Medicine*, 25(2), pp. 96–111. doi: 10.1016/j.molmed.2018.11.004.
- Yin, Z. et al. (2017) 'Immune hyperreactivity of A β plaque-associated microglia in Alzheimer's disease', *Neurobiology of Aging*, 55, pp. 115–122. doi: 10.1016/j.neurobiolaging.2017.03.021.
- Yoon, B.-J. (2009) 'Hidden Markov Models and their Applications in Biological Sequence Analysis', *Current Genomics*, 10(6), pp. 402–415. doi: 10.2174/138920209789177575.
- Yu, G. et al. (2012) 'clusterProfiler: an R package for comparing biological themes among gene clusters.', *Omics : a journal of integrative biology*, 16(5), pp. 284–7. doi: 10.1089/omi.2011.0118.
- Yang, S. et al. (2015) 'Transcription factor myocyte enhancer factor 2D regulates interleukin-10 production in microglia to protect neuronal cells from inflammation-induced death', *Journal of Neuroinflammation*, 12(1), p. 33. doi: 10.1186/s12974-015-0258-z.
- Yerbury, J. J. et al. (2016) 'Walking the tightrope: proteostasis and neurodegenerative disease', *Journal of Neurochemistry*, 137(4), pp. 489–505. doi: 10.1111/jnc.13575.
- Yona, S. et al. (2013) 'Fate mapping reveals origins and dynamics of monocytes and tissue macrophages under homeostasis.', *Immunity*, 38(1), pp. 79–91. doi: 10.1016/j.immuni.2012.12.001.
- You, E. (2013) 'Vuejs'.
- Zeisel, A. et al. (2015) 'Brain structure. Cell types in the mouse cortex and hippocampus revealed by single-cell RNA-seq.', *Science (New York, N.Y.)*, 347(6226), pp. 1138–42. doi: 10.1126/science.aaa1934.
- Zentner, G. E. and Henikoff, S. (2013) 'Regulation of nucleosome dynamics by histone modifications', *Nature Structural & Molecular Biology*, 20(3), pp. 259–266. doi: 10.1038/nsmb.2470.
- Zhang, Y. et al. (2014) 'An RNA-Sequencing Transcriptome and Splicing Database of Glia, Neurons, and Vascular Cells of the Cerebral Cortex.', *The Journal of neuroscience: the official journal of the Society for Neuroscience*, 34(36), pp. 11929–47. doi: 10.1523/JNEUROSCI.1860-14.2014.

Zeisel, A. et al. (2018) 'Molecular Architecture of the Mouse Nervous System', *Cell*, 174(4), pp. 999-1014.e22. doi: 10.1016/j.cell.2018.06.021.

Zhang, B. et al. (2013) 'Integrated Systems Approach Identifies Genetic Nodes and Networks in Late-Onset Alzheimer's Disease', *Cell*, 153(3), pp. 707–720. doi: 10.1016/j.cell.2013.03.030.

Zrzavy, T., Hametner, S., Wimmer, I., Butovsky, O., Weiner, Howard L., et al. (2017) 'Loss of "homeostatic" microglia and patterns of their activation in active multiple sclerosis', *Brain*, 140(7), pp. 1900–1913. doi: 10.1093/brain/awx113.

Zöller, T. et al. (2018) 'Silencing of TGF β signalling in microglia results in impaired homeostasis', *Nature Communications*, 9(1). doi: 10.1038/s41467-018-06224-y.

Zhu, Y. et al. (2017) 'Systematic analysis of gene expression patterns associated with postmortem interval in human tissues.', *Scientific reports*, 7(1), p. 5435. doi: 10.1038/s41598-017-05882-0.

